



STERIS®

VERIFY™ V24 and V24I Self-Contained Biological Indicators and Challenge Packs

Safety Data Sheet

Version: 1.0

1. Identification of the Substance and Company

VERIFY™ V24 and V24I Self-Contained Biological Indicators and Challenge Packs

Product No. LCB020, LCB022, LCB005, and LCB024

SDS No. S284AU

NFPA 704 HAZARD RATING:

HEALTH: 0
FIRE: 0
REACTIVITY: 0

Prepared by: M. Ebers

asksteris_msds@steris.com

Date Created: May 26, 2010

Date Revised: 1/16/2017

Date Reviewed: N/A

STERIS Corporation, P.O. Box 147, St. Louis, Mo 63166, US
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC US);
1-703-741-5970 (CHEMTREC International)
Telephone Number for information: 1-800-548-4873 (Customer Service – Healthcare Products)

Device Technologies Australia Pty Ltd, ACN: 058-091-973, Unit 8, 25 Frenchs Forest Road,
Frenchs Forest NSW 2086, Australia, Telephone: 1-800-804-006, Fax: 612-9975-5711.
Emergency 24 Hour Telephone: 1 800 804 006.

Device Technologies New Zealand Limited,
47 Arrenway Drive, Albany, Auckland, 0632, New Zealand
Tel: 0508 338 423, Fax: 649 9913 2009. Emergency 24 Hour Telephone: 0508 338 423

This product is a NOT hazardous product according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Australia: NOHSC: Non-Hazardous Substance. Non-Dangerous Goods

The Biological Monitoring Kit utilizes spores of *Geobacillus stearothermophilus*, ATCC 7953.

The VERIFY™ V24 and V24I Self-Contained Biological Indicators (SCBIs) are free of latex and natural dry rubber products.

FIRST AID MEASURES:

EYES: Immediately flush eyes with plenty of water for 15 minutes. Get medical attention if irritation persists.

SKIN: Immediately wash with soap and water. Get medical attention if irritation develops.

INGESTION: Give water to drink and get medical advice.

INHALATION: Remove to fresh air. Get medical attention for any breathing difficulty.

BIOLOGICAL INDICATOR HANDLING AND DISPOSAL:

Handling and Storage Precautions: 21-25°C, 40-60% relative humidity away from sterilizing agents; do not expose to excessive heat.

Waste Disposal Methods: SCBIs showing growth and expired indicators: before discarding, treat as appropriate for standard microbiological waste, non-pathogenic species, e.g., steam autoclave at 121°C for not less than 30 minutes; incinerate or use other suitable means. SCBIs showing no growth can be discarded as standard waste.

SHIPPING INFORMATION: Not restricted.

Transportation Information : **Australia :** ADG/HazChem Code : Non-Hazardous

Regulatory Information: Australia: AICS Listed or Exempt. Hazard Category: Non-Hazardous



STERIS[®]

**VERIFY[™] V24 and V24I Self-Contained Biological
Indicators and Challenge Packs**
Safety Data Sheet

Version: 1.0

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.