

1. Identification of the Substance and Company
Steraffirm® Chemical Indicator Tags
Product No. PCC055, PCC055T

SDS No. B116US

Prepared by: M. Ebers
asksteris_msds@steris.com

NFPA 704 HAZARD RATING:
HEALTH: 0
FIRE: 0
REACTIVITY: 0

Date Created: 6/24/2009 Date Revised: 01/06/2017 Date Reviewed: NA

STERIS Corporation, P.O. Box 147, St. Louis, Mo 63166, US
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
Telephone Number for information: 1-800-548-4873 (Customer Service – Life Scientific Products)

STERIS Pincone, 9325 Pinecone Drive, Mentor, OH 44060
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
Telephone Number for information: 1-800-548-4873 (Customer Service – Life Scientific Products)

PRODUCT NAME:	PRODUCT NUMBER:
Steraffirm® Chemical Indicator Tags (paper)	PCC055
Steraffirm® Chemical Indicator Tags (Tyvek)	PCC055T
SHIPPING INFORMATION:	NOT RESTRICTED

The Steraffirm® Chemical Indicator Tags are not hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200 and the Hazardous Products Regulations, and are free of lead and other heavy metals.

The Steraffirm® Chemical Indicator Tags do not contain any components derived from animal origin, do not come into contact with materials of animal origin and therefore comply with the "Note for guidance of minimizing the risk of transmitting animal spongiform encephalopathy agents via human Veterinary medicinal products (EMEA/410/01 Rev. 2-October 2003)."

The Steraffirm® Chemical Indicator Tags are designed to confirm that the device has been exposed to steam sterilization cycles between 250°F(121°C) and/or 275°F (135°C).

The Steraffirm® Chemical Indicator Tags are free of latex and natural dry rubber products.

Steraffirm® Chemical Indicator Tags Handling and Disposal:

Handling and Storage Precautions: Keep box closed. Store at 0°C (32°F) to 30°C (86°F) and 30-60% RH away from direct sunlight. Do not store the Steraffirm® Chemical Indicator Tags near steam sterilizers or near strong alkaline products such as cleaning/disinfecting agents. These storage conditions should be maintained after use.

Waste Disposal Methods: Dispose of used/expired chemical indicators and boxes in trash receptacle in accordance with federal, state, and local regulations.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.