



**STERIS**

# VERIFY™ RESI-TEST™ Slide-Thru Cleaning Indicator

## Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazComm 2012)

Version: 1.0

### 1. Identification of the Substance and Company

#### VERIFY RESI-TEST Slide-Thru Cleaning Indicator

**Product No. LCC101**

**SDS No. S145US**

**NFPA 704 HAZARD RATING:**

**HEALTH:** 0

**FIRE:** 0

**REACTIVITY:** 0

**Prepared by: M. Ebers**

[asksteris\\_msds@steris.com](mailto:asksteris_msds@steris.com)

**Date Created: March 1, 2016    Date Revised: 08/11/2017    Date Reviewed: NA**

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US  
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)  
Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

<b>PRODUCT NAME:</b>	<b>PRODUCT NUMBER:</b>
VERIFY RESI-TEST Slide-Thru Cleaning Indicator	LCC101
<b>SHIPPING INFORMATION:</b>	<b>NOT REGULATED</b>

RESI-TEST™ Slide-Thru Cleaning Indicator meets the definition of an Article according to HazComm 2012, 29 CFR 1910.1200.

Under normal use conditions, this product will not come into contact with the operator.

Store at 2 - 8°C.

Not made with natural rubber latex.

*The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.*