



VERIFY™ RESI-TEST™ Slide-Thru Cleaning Indicator

Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazComm 2012)

Version: 1.0

1. Identification of the Substance and Company

VERIFY RESI-TEST Slide-Thru Cleaning Indicator

Product No. LCC101

SDS No. S145CA

NFPA 704 HAZARD RATING:

HEALTH: 0

FIRE: 0

REACTIVITY: 0

Prepared by: M. Ebers

asksteris_msds@steris.com

Date Created: 03/01//2016 Date Revised: 08/11/2017 Date Reviewed: NA

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

PRODUCT NAME:	PRODUCT NUMBER:
VERIFY RESI-TEST Slide-Thru Cleaning Indicator	LCC101
SHIPPING INFORMATION:	NOT REGULATED

VERIFY RESI-TEST Slide-Thru Cleaning Indicator meets the definition of an Article according to HazComm 2012, 29 CFR 1910.1200.

Under normal use conditions, this product will not come into contact with the operator.

Store at 2 - 8°C.

Not made with natural rubber latex.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.



STERIS®

VERIFY™ RESI-TEST™ Slide-Thru Cleaning Indicator

Safety Data Sheet

According to the federal final rule of hazard communication revised on 2012 (HazComm 2012)

Version: 1.0

1. Identification de la substance et de la société

VERIFY RESI-TEST Slide-Thru Cleaning Indicator

Produit n° LCC101

SDS N° S145CA

Préparée par : M. Ebers

asksteris_msds@steris.com

Date de création : 03/01/2016 Date de révision : 08/11/2017 Date de revue : S. O.

COTE DE DANGER NFPA 704 :

SANTÉ : 0

RISQUE D'INCENDIE : 0

RÉACTIVITÉ : 0

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, États-Unis

N° de téléphone en cas d'urgence : 1-314-535-1395 (STERIS) ou 1-800-424-9300 (CHEMTREC)

N° de téléphone pour renseignements : 1-800-548-4873 (Service à la clientèle - Division Produits de santé)

NOM DU PRODUIT :	NUMÉRO DU PRODUIT :
VERIFY RESI-TEST Slide-Thru Cleaning Indicator	LCC101
RENSEIGNEMENTS CONCERNANT L'EXPÉDITION :	NON RÉGLEMENTÉ

VERIFY RESI-TEST Slide-Thru Cleaning Indicator répond à la définition d'un article conformément à la norme HazComm 2012, 29 CFR 1910.1200.

Dans des conditions normales d'utilisation, ce produit n'entrera pas en contact avec l'opérateur.

Entreposer entre 2 et 8 °C.

Non fabriqué à partir de latex de caoutchouc naturel.

Les renseignements contenus dans la présente fiche ne constituent pas une spécification et ne garantissent aucune propriété spécifique. Ces renseignements visent à fournir des notions générales sur la santé et la sécurité basées sur nos connaissances relatives à la manutention, à l'entreposage et à l'utilisation du produit. Ils ne s'appliquent pas lorsque le produit est utilisé d'une façon inhabituelle ou non standard, ou lorsque les directives et les recommandations d'utilisation ne sont pas respectées.