

1. Identification of the Substance and Company

VERIFY® SixCess™ MF4 **STEAM Emulating Indicator**

Product No. Reference table below

SDS No. S275US

Prepared by: M. Ebers
asksteris_msds@steris.com

NFPA 704 HAZARD RATING:

HEALTH: 0
FIRE: 0
REACTIVITY: 0

Date Created: 02/28/2018

Date Revised: NA

Date Reviewed: NA

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US
Emergency Telephone No.1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

PRODUCT NAME:	Product Number
VERIFY® SixCess MF4 STEAM Emulating Indicator (250 strips/pack)	PCC072
VERIFY® SixCess MF4 STEAM Emulating Indicator (4 packs/case; 250 strips/pack)	PCC072B
VERIFY® SixCess MF4 STEAM Emulating Indicator (1,000 strips/pack)	PCC073
VERIFY® SixCess MF4 STEAM Emulating Indicator (2 packs/case; 1,000 strips/pack)	PCC073B
SHIPPING INFORMATION:	NOT RESTRICTED

These products are NOT hazardous products according to the OSHA Hazard Communication Standard, 29CFR 1910.1200.

The VERIFY® SixCess MF4 **STEAM** Emulating Indicators are manufactured in the absence of latex and dry natural rubber.

The VERIFY® SixCess MF4 **STEAM** Emulating Indicators are manufactured in the absence of lead and the heavy metals.

Handling and Storage Precautions: Do not cut or puncture the product, which may release contents. Store at room temperature.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.