

1. Identification of the Substance and Company

Steraffirm® Vaporized VH2O2 Class 4 Indicator

Product No. PCC060
SDS No. S293US

NFPA 704 HAZARD RATING:
HEALTH: 0
FIRE: 0
REACTIVITY: 0

Prepared by: M. Ebers
asksteris_msds@steris.com
Date Created: 06/19/2014

Date Revised: 02/19/2018

Date Reviewed: NA

STERIS Corporation, P.O. Box 147, St. Louis, Mo 63166, US
 Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
 Telephone Number for information: 1-800-548-4873 (Customer Service – Life Scientific Products)

STERIS Ireland Limited, IDA Business and Technology Park, Tullamore
 County Offaly, R35 X865, Ireland.
 Emergency Phone No: +44 (0) 1895 622 639
 Product/Technical Information Phone No: +44 (0) 116 276 8636

PRODUCT NAME:	PRODUCT NUMBER:
Steraffirm® Vaporized VH2O2 Class 4 Indicator	PCC060
SHIPPING INFORMATION:	NOT RESTRICTED

These products are NOT hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

The Steraffirm® Vaporized VH2O2 Class 4 Indicators are free of latex and natural dry rubber products.

The Steraffirm® Vaporized VH2O2 Class 4 Indicators do not contain any components derived from animal origin, does not come into contact with materials of animal origin and therefore complies with the "Note for guidance of minimizing the risk of transmitting animal spongiform encephalopathy agents via human Veterinary medicinal products (EMEA/410/01 Rev. 2-October 2003)."

In the case of accidental exposure, take the following precautionary measures:

- EYES:** Immediately flush eyes with plenty of water for 15 minutes. Get medical attention if irritation persists.
- SKIN:** Immediately wash with soap and water. Get medical attention if irritation develops.
- INGESTION:** Give water to drink and get medical advice.
- INHALATION:** Remove to fresh air. Get medical attention for any breathing difficulty.

Chemical Monitoring Strips Handling and Disposal:

Handling and Storage Precautions: Keep box tightly closed. Store at 6°C (43°F) to 30°C (86 °F) and 30-80% relative humidity, and away from direct sunlight.

Waste Disposal Methods: Dispose of used/expired chemical indicators and boxes in trash receptacle in accordance with federal, state, and local regulations.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.