

**1. Identification of the Substance and Company**  
**VERIFY® Biological/Integrator Challenge Pack**  
**Product No. LCB006, LCB007**  
**SDS No. S272US**

**NFPA 704 HAZARD RATING:**  
**HEALTH: 0**  
**FIRE: 0**  
**REACTIVITY: 0**

**Prepared by: M. Ebers**  
[asksteris\\_msds@steris.com](mailto:asksteris_msds@steris.com)

**Date Created: 05/20/2019**

**Date Revised: NA**

**Date Reviewed: NA**

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US  
Emergency Telephone No.1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)  
Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

STERIS Ireland Limited, IDA Business and Technology Park, Tullamore  
County Offaly, R35 X865, Ireland.  
Emergency Phone No: +44 (0) 1895 622 639  
Product/Technical Information Phone No: +44 (0) 116 276 8636

<b>PRODUCT NAME:</b>	<b>PRODUCT NUMBER:</b>
VERIFY® Biological/Integrator Challenge Pack	LCB006
VERIFY® Biological/Integrator Challenge Pack	LCB007
<b>SHIPPING INFORMATION:</b>	<b>NOT RESTRICTED</b>

These products are NOT hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

VERIFY® Biological/Integrator Challenge Packs are manufactured in the absence of latex and dry natural rubber.

VERIFY® Biological/Integrator Challenge Packs are manufactured in the absence of lead and other heavy metals.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.