

1. Identification of the Substance and Company
Spordex® Biological Indicator Ampoules for Steam
Product No. NA500
SDS No. S110US
NFPA 704 HAZARD RATING:
HEALTH: 0
FIRE: 0
REACTIVITY: 0
Prepared by: M. Ebers
asksteris_msds@steris.com
Date Created: 08/06/2019
Date Revised: 08/28/2019
Date Reviewed: N/A

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US
 Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
 Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

STERIS Ireland Limited, IDA Business and Technology Park, Tullamore
 County Offaly, R35 X865, Ireland.

Emergency Phone No: +44 (0) 1895 622 639

Product/Technical Information Phone No: +44 (0) 116 276 8636

PRODUCT NAME:	PRODUCT NUMBER:
Spordex® Biological Indicator Ampoules for STEAM	NA500
SHIPPING INFORMATION:	NOT RESTRICTED

Handling and Storage: Store at 0°C (32°F). Keep away from sterilants as they may injure the microorganisms contained in the product, reducing its functionality.

Disposal: Before discarding, treat as appropriate for standard microbiological waste, non-pathogenic species; e.g., steam autoclave at 121°C (250°F) for not less than 30 minutes, incinerate, or use other suitable means.

Spordex® biological indicators are NOT hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Spordex® biological indicators are inoculated with spores of *Geobacillus stearothermophilus* for steam sterilization.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.