

1. Identification of the Substance and Company
Spordex® Single-Species Spore Strips and Discs
Product No.
SDS No. S106CA
NFPA 704 HAZARD RATING:
HEALTH: 0
FIRE: 0
REACTIVITY: 0
Prepared by: M. Ebers
asksteris_msds@steris.com
Date Created: 12/01/2001
Date Revised: 03/06/2018
Date Reviewed: N/A

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US
 Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
 Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

STERIS Ireland Limited, IDA Business and Technology Park, Tullamore
 County Offaly, R35 X865, Ireland.

Emergency Phone No: +44 (0) 1895 622 639

Product/Technical Information Phone No: +44 (0) 116 276 8636

| PRODUCT NAME: | PRODUCT NUMBER: |
|---|------------------------|
| For EO and Dry Heat: | |
| 10 ⁸ <i>B. atrophaeus</i> - strips | NA034 |
| 10 ⁷ <i>B. atrophaeus</i> - strips | NA033 |
| 10 ⁶ <i>B. atrophaeus</i> - strips | NA005 |
| 10 ⁶ <i>B. atrophaeus</i> - strips | NA004 |
| 10 ⁵ <i>B. atrophaeus</i> - strips | NA032 |
| 10 ⁴ <i>B. atrophaeus</i> - strips | NA031 |
| 10 ³ <i>B. atrophaeus</i> - strips | NA112 |
| 10 ⁸ <i>B. atrophaeus</i> - discs | NA082 |
| 10 ⁷ <i>B. atrophaeus</i> - discs | NA105 |
| 10 ⁶ <i>B. atrophaeus</i> - discs | NA075 |
| 10 ⁶ <i>B. atrophaeus</i> - discs | NA130 |
| 10 ³ <i>B. atrophaeus</i> - discs | NA120 |
| | |
| For Steam: | |
| 10 ⁶ <i>G. stearothermophilus</i> - strips (D-value = 1.5-2.5) | NA037 |
| 10 ⁶ <i>G. stearothermophilus</i> - strips (D-value = 1.5-2.5) | NA039 |
| 10 ⁶ <i>G. stearothermophilus</i> - strips (D-value = 2.0-2.5) | NA141 |
| 10 ⁶ <i>G. stearothermophilus</i> - strips (D-value = 2.0-2.5) | NA139 |
| 10 ⁶ <i>G. stearothermophilus</i> - strips (D-value = 1.5-1.9) | NA142 |
| 10 ⁶ <i>G. stearothermophilus</i> - strips (D-value = 1.5-1.9) | NA143 |
| 10 ⁵ <i>G. stearothermophilus</i> - strips | NA036 |
| 10 ⁴ <i>G. stearothermophilus</i> - strips | NA007 |
| 10 ⁴ <i>G. stearothermophilus</i> - strips | NA006 |
| 10 ³ <i>G. stearothermophilus</i> - strips | NA035 |
| 10 ⁶ <i>G. stearothermophilus</i> - discs | NA111 |
| | |
| SHIPPING INFORMATION: | NOT RESTRICTED |

The Spordex® products are NOT hazardous products according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SporDEX® strips and discs are inoculated with spores of *Geobacillus stearothermophilus* for steam sterilization, or *Bacillus atrophaeus* for EO and dry heat use.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.