



STERIS[®] VERIFY[™] Integrated Sterilization Monitoring Systems

Safety Data Sheet

Version: 1.0

1. Identification of the Substance and Company

VERIFY[™] Integrated Sterilization Monitoring Systems

Product No.

SDS No. S117UK

Prepared by: M. Ebers

asksteris_msds@steris.com

Date Created: 06/28/2002

Date Revised: 03/05/2020

NFPA 704 HAZARD RATING:

HEALTH: 0

FIRE: 0

REACTIVITY: 0

Date Reviewed: N/A

STERIS Corporation, P. O. Box 147, St. Louis, MO 63166, US
 Emergency Telephone No.1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
 Telephone Number for Information: 1-800-548-4873 (Customer Service-Healthcare Products)

STERIS Ireland Limited, IDA Business and Technology Park, Tullamore
 County Offaly, R35 X865, Ireland.
 Emergency Phone No: +44 (0) 1895 622 639
 Product/Technical Information Phone No: +44 (0) 116 276 8636

PRODUCT NAME:	PRODUCT NUMBER:
VERIFY [™] Steam Integrator Strip, 8½" x ½"	800510
VERIFY [™] Steam Integrator Strip, 4 ¼" x ½"	801010
VERIFY [™] Integrator, Laminated, Steam and EO	810110
VERIFY [™] Flash Integrator, Laminated	802210
VERIFY [™] Steam Sterilizer Load Record	802510
SHIPPING INFORMATION:	NOT RESTRICTED

VERIFY[™] Integrators are NOT hazardous products according to the OSHA Hazard Communication Standard, 29CFR 1910.1200. VERIFY[™] Integrators are "latex free."

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.