

1. Identification of the Substance and Company

Indicator Tapes

Product No. 260010

SDS No. S115US

NFPA 704 HAZARD RATING:

HEALTH: 0

FIRE: 0

REACTIVITY: 0

Prepared by: M. Ebers

asksteris_msds@steris.com

Date of Issue: 06/04/2015

Revision Date: 03/06/2020

STERIS Corporation, P.O. Box 147, St. Louis, Mo 63166, US
Emergency Telephone No. 1-314-535-1395 (STERIS); 1-800-424-9300 (CHEMTREC)
Telephone Number for information: 1-800-548-4873 (Customer Service – Healthcare Products)

Product Name:	Product Number
Indicator Tapes – Steam 1", 60 Yard Roll	260010
SHIPPING INFORMATION:	NOT RESTRICTED

Indicator Tapes are exempt from OSHA's Hazard Communication Standard, (29 CFR 1910.1200) and should present a health or safety hazard.

Indicator Tapes are manufactured in the absence of lead, latex, and/or dry natural rubber.

The information on this sheet is not a specification and does not guarantee specific properties. The information is intended to provide general knowledge as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product or where instruction or recommendations are not followed.